Village of Elk Grove Village Public Water Supply System 2023 Consumer Confidence Report As Reported June 2024



The Greenleaf Standpipe was selected as a winner in the Illinois Section of the American Water Works Association's 2015 Water Tank Photo Contest.


INTRODUCTION

The Village of Elk Grove Village is dedicated to providing its residents and businesses with a dependable supply of safe drinking water. This **Consumer Confidence Report (CCR)** provides residents and businesses served by the Village-owned water distribution system with the information necessary to make informed decisions about how they use tap water.

This report is also a requirement of the 1996 Safe Drinking Water Act amendments. It summarizes where your water came from, what it was made of, and how it compared to the standards established by regulatory agencies. Information about water consumed during the reporting year will be made available in a CCR scheduled for distribution during the following year.

Information in this report describes water consumed during the 2023 calendar year. We are pleased to report that the Village-owned water system met all water quality standards in 2023.





wells and the motor to power it.

Where does our water come from?

Our water supply comes from Lake Michigan, one of the five Great Lakes. The **lake water is** treated and purified by the City of Chicago Water Department. The finished drinking water is then pumped to the **Northwest Suburban Municipal Joint Action Water Agency (NSMJAWA)** reservoirs near O'Hare Airport. NSMJAWA then pumps the water to the Village of Elk Grove Village and six (6) other northwest suburban communities via large water transmission mains. Elk Grove Village has four (4) connection points to the NSMJAWA transmission mains. Prior to receiving lake water, the Village pumped water from as many as fourteen (14) public deep wells located throughout the Village. Six (6) of these deep wells have been maintained as emergency back up supplies only in the event that the lake water should be unavailable for an extended period of time. The Village monitors and tests the backup emergency wells, and information regarding detections of contaminants in the emergency wells is available by contacting John Naquin in the Public Works Department at 847-734-8800. Please note, the untreated water from the emergency wells is not used in the Village's water system.

By volume, Lake Michigan is the second largest of the Great Lakes. Hydrologically, it is inseparable from Lake Huron. The total shoreline, including all its islands, is almost 1,640 miles long. All 63 miles of shoreline within Illinois are considered to be in good condition. As water travels over or through the ground to the lake, it can dissolve naturally occurring minerals or radioactive material. It can also pick up substances resulting from the presence of animals or from human activity. Possible contaminants consist of:

- *Microbial contaminants* such as viruses and bacteria. These contaminants may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants such as salts and metals. These contaminants can occur naturally or they
 can be the result of urban storm water runoff, industrial or domestic wastewater discharges, oil and
 gas production, mining operations, or farming.
- Pesticides and herbicides may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.

2



- Organic chemical contaminants, including synthetic and volatile organic chemicals, are by-products
 of industrial processes and petroleum production. They can also be produced by gas stations,
 urban storm water runoff, and septic systems. Untreated lake water has the potential to contain
 these types of contaminants. However, it is important to realize that these materials can be found
 throughout nature to some degree. Their presence does not necessarily mean that there is a health
 risk associated with our source water. Rather, the most important factor to consider is how much of
 a particular contaminant can be found in our source water.
- Radioactive contaminants, which may be naturally occurring or be the result of oil & gas production and mining activities.

Has an assessment been made of Lake Michigan water?

Yes! The Illinois EPA considers all surface water sources of community water supply to be susceptible to potential pollution problems. The very nature of surface water allows contaminants to migrate into the intake with only dilution as protection. This is the reason for mandatory treatment for all surface water supplies in Illinois. Chicago's offshore intakes are located at a distance offshore that shoreline impacts are not usually considered a factor on water quality. At certain times of the year, however, the potential for contamination exists due to wet-weather flows and river reversals. Throughout history there have been extraordinary steps taken to assure a safe source of drinking water in the Chicagoland area. From the building of offshore cribs and the introduction of interceptor sewers to the lock-and-dam system of Chicago's waterways and the city's Lakefront Zoning Ordinance.

Who regulates if the water is safe to drink?

In order to make certain that tap water is safe to drink, the United States Environmental Protection Agency (USEPA) and the Illinois Environmental Protection Agency (IEPA) prescribe regulations that limit the amount of certain contaminants in the water distributed by public water systems. All public water systems, including the City of Chicago and the Village of Elk Grove Village, must monitor their systems and comply with these regulations. Failure to do so is a violation of federal and state laws. Food & Drug Administration regulations establish limits for contaminants in bottled water, which must provide the same protection for public health.

3





Elk Grove Village water tower design selected as the winner of the Illinois Section AWWA 2014 Tank Photo Contest.

Is Elk Grove Village's drinking water safe?

Yes! During 2023, Elk Grove Village complied with all of the federal and state regulations pertaining to the storage and distribution of drinking water. **All samples met water quality standards.** The table on page 6 summarizes the tests that were performed to ensure compliance with water quality standards. Page 7 has additional information and outlines the definitions associated with this information. The City of Chicago conducted a number of additional water quality tests as well. In fact, they routinely performed over 70 different water quality tests as part of their raw water treatment process. The results of all of these tests complied with federal and state drinking water regulations. The results of Chicago's analyses are available to the public and are on file at the Elk Grove Village Public Works Department.

Are there any problems with Lead or Copper in our water?

No! The Village tests for lead and copper content indicate that there were no significant levels of either contaminant in our drinking water.

The Village tests for lead and copper content once every three (3) years. We collect samples from the taps of 30 private homes. These samples are then sent to the IEPA laboratories for analysis. Our last round of lead and copper testing from July & August of 2023 showed no significant levels of lead or copper. The Village will continue testing for lead and copper from the same 30 homes during July & August of 2026.

Our current rate of testing, once every three (3) years, as well as our sample size (30 samples), were prescribed by IEPA following initial rounds of annual testing using larger sample sizes. These initial tests indicated that there were no significant problems with lead or copper contamination in our drinking water. Therefore, our sampling frequency and sample size was reduced.

However, it should be noted that pregnant woman, infants and young children are more vulnerable to lead in drinking water than the general population. It is possible that lead levels in your home may be higher than in other homes due to the types of materials used in your home's plumbing system. If you are concerned about elevated lead levels in your water, you may wish to have it tested at a local laboratory contact John Naquin in the Public Works Department at 847-734-8800. Flushing your tap for 2 minutes before using the water will also reduce your risk of lead exposure. Additional information about lead in drinking water is available from the USEPA's Safe Drinking Water Hotline (800-426-4791). You can also visit them on the web at www.epa.gov/safewater/lead.



Pumps, motors, and controls in one of the Village's pumping stations.

Is there Cryptosporidium or Giardia in our water?

No! These organisms can be found in most raw surface water. It is caused by animal waste products deposited into the source water. However, properly filtered and disinfected water is virtually free of it. The Village of Elk Grove Village has never had a case of cryptosporidiosis or Giardiasis, the illnesses caused by these organisms. Monitoring performed in 2012 by the City of Chicago did not detect any Cryptosporidium or Giardia in source water samples collected.

Who can I talk to if I have questions or comments about the Village-owned water system? If you have any questions about this report, would like to participate in decisions that may affect the quality of the water, or would like additional information about the Village-owned water system, please feel free to contact John Naquin in the Public Works Department at 847-734-8800.

Important Note: Drinking water, including bottled water, may reasonably be expected to contain small amounts of some contaminants. The presence of these contaminants does not necessarily indicate the water poses a health risk. More information about these contaminants and the potential health effects can be obtained by calling the U.S. Environmental Protection Agency's Safe Drinking Water Hotline (SDWH) at **1-800-426-4791**, or call the Village of Elk Grove Public Works at 847-734-8800.

Vulnerable Populations: Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly persons, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the USEPA's Safe Drinking Water Hotline 1-800-426-4791.

5

Contaminar measureme	nts (unit of	MCLG	MCL	Highest Level Detected	Range of Levels Detected	VIOLATION NOTED	NG RESULTS Typical Source of Contamination
		r In The Villa	ge-Owned	Water Distri	bution System		
TOTAL COLIFORM BACTERIA (%pos/mo)		0	0	ND		NO	Naturally present in the environment.
FECAL COLIFORM AND E.COLI (#pos/mo)		0	0	ND		NO	Human and animal fecal waste.
HAA5 (Total Haloacetic Acids) (ppb)		N/A	60	20	12.7 – 21.8	NO	By-Product of drinking water disinfection.
TTHMs (Total Trihalomethanes) (ppb)		N/A	80	46	20.61 – 77	NO	By-Product of drinking water disinfection
CHLORINE (ppm)		MRDLG = 4	MRDL= 4	1.7	1 - 2	NO	Water additive used to control microbes.
	and Tested Fo 30 homes tes				st 2023)		
COPPER/ LEAD	Sample Date	MCLG	Action Level (AL)	90 th Percentile	No. of Sites Over AL	VIOLATION NOTED	Likely Source of Contamination
COPPER (ppm)	8/20/23	1.3	1.3	0.028	0	NO	Erosion of natural deposits; leaching from wood preservatives; Corrosion of household plumbing systems.
Detected Re	egulated Con	taminants Te	sted For B	v The City C	Of Chicago		,
				Highest Level	Range of Levels	VIOLATION	Typical Source of
Turbidity Data TURBIDITY (NTU/Lowest		MCLG N/A	MCL TT(95%	Detected 100.0%	100.0% –	NOTED NO	Contamination Soil runoff. Lowest monthly
Monthly % ≤ 0.3 NTU)		IN/A	≤ 0.3 NTU)	100.070	100.0%	110	percent meeting limit.
TURBIDITY (NTU Highest single measurement)		N/A	TT(Limit 1NTU)	0.25	N/A	NO	Soil runoff. Highest single measurement.
Inorganic C	ontaminants						
BARIUM (ppm)		2	2	0.0195	0.0192 – 0.0195	NO	Discharge of drilling wastes. Discharge from metal refineries. Erosion of natural deposits.
NITRATE (AS NITROGEN) (ppm)		10	10	0.33	0.29 – 0.33	NO	Runoff from fertilizer use. Leaching from sept tanks. Sewage. Erosion of natural deposits.
TOTAL NITRATE & NITRITE (AS NITROGEN) (ppm)		Ξ 10	10	0.33	0.29 – 0.33	NO	Runoff from fertilizer use. Leaching from sept tanks. Sewage. Erosion of natural deposits.
Detected St	ate Regulate	d Contamina	nts Tested	For By The	City Of Chicago	•	
FLUORIDE (ppm)		4	4	0.74	0.66 - 0.74	NO	Water additive, which promotes strong teeth
	ic Carbon Te						
						ystem met all 1	TOC removal requirements set by the IEPA
					/ Of Chicago		
SODIUM (ppm)		N/A	N/A	8.71	8.43 – 8.71	NO	Erosion of naturally occurring deposits. Used as water softener.
SULFATE (ppm)		N/A	N/A	27.8	25.0 – 27.8	NO	Erosion of naturally occurring deposits.
			Tested For		Of Chicago 02/0	04/2020	
Combined Radium 226/228 (pCi/l) Sample Date 02/04/2020		3 0	5	0.95	0.83 – 0.95	NO	Decay of natural and man-made deposits.
GROSS ALPHA excluding radon & uranium (pCi/l) Sample Date 02/04/2020		0	15	3.1	2.8 – 3.1	NO	Decay of natural and man-made deposits.

2023 VII I AGE OF FLK GROVE VII I AGE WATER QUALITY TESTING RESULTS

DEFINITIONS

- MCLG Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLG's allow for a margin of safety.
- MCL Maximum Contaminant Level: The highest level of a known contaminant allowed in drinking water. MCLs are set as close to MCLGs as feasible using the best available treatment technology.
- "Range of Detection" represents a range of individual sample results, from lowest to highest, taken during the CCR calendar year.
- "Date of Sample" represents whether the sample was collected during the CCR calendar year or the last time IEPA required samples to be collected. If no date appears, then the sample was collected during the reporting year.
- ppm Parts Per Million (same as mg/l) or one ounce in 7,350 gallons of water.
- ppb Parts Per Billion (same as ug/l) or one ounce in 7,350,000 gallons of water.
- #pos/mo This represents the number of positive samples per month.
- %pos/mo This represents the percentage of positive samples per month.
- **AL** Action Level: The level of a contaminant above which certain prescribed treatment techniques must be employed to reduce contaminant risk.
- ND Not Detectable: Not found at the testing limits.
- NA Not Applicable.
- TT Treatment Technique or a required process intended to reduce the level of a contaminant in drinking water.
- %<0.5 NTU Percent of samples less than .5 NTU.
- "Amount" column is an average of all sample result data collected during the CCR calendar year.
- NTU Nephelometric Turbidity Unit, used to measure cloudiness in the drinking water.

Total Organic Carbon (TOC) The percentage of Total Organic Carbon removal was measured each month and Chicago's system met all TOC removal requirements set by the IEPA.

Turbidity is a measurement of the cloudiness of the water. It is monitored because it is a good indicator of water quality and the effectiveness of the filtration system and disinfectants. During the winter months your water may appear to be turbid, but in fact only contains air bubbles. This is nothing to be concerned about. Run your tap till your water gets cold or simply let the water stand a few minutes for it to clear up.

Unregulated Contaminants A maximum contaminant level (MCL) for this contaminant has not been established by either the state or federal regulations, nor has a mandatory health effect language. The purpose for monitoring this contaminant is to assist the USEPA in determining the occurrence of unregulated contaminants in drinking water, and whether future regulation is warranted.

Fluoride is added to the water supply to help promote strong teeth. The Illinois Department of Public Health recommends an optimal fluoride range of 0.9 mg/l to 1.2 mg/l.

Sodium has no MCL. Monitoring is required to provide information to consumers and health officials concerned about sodium intake due to dietary precautions. However, individuals on a sodium-restricted diet should consider consulting a physician.

MONITORING VIOLATION NOTICE

IMPORTANT INFORMATION ABOUT YOUR BACKUP WELL WATER

Monitoring Requirement Not Met for the Village of Elk Grove Village

The testing laboratory that Elk Grove Village utilizes, PACE Analytical, did not send a sample bottle for one of Elk Grove Village's backup wells to test for cyanide in the third quarter of 2023. Due to this oversight, Elk Grove Village was unable to test for cyanide in one of its backup wells. Failing to take the sample does not mean the cyanide levels in the well water exceeded regulatory standards. As soon as the Village was made aware that PACE Analytical had not tested for cyanide, the Village immediately requested a sample bottle and completed the sample, which was well within safe levels. The wells in Elk Grove Village are only in place for emergency purposes. Elk Grove Village has not used these backup wells since the Village went on Lake Michigan water back in the 1980s. Elk Grove Village's primary source of water continues to come from Lake Michigan.

Elk Grove Village is required to monitor its backup drinking water source for specific contaminants on a regular basis. Results of regular monitoring are an indicator of whether or not our backup drinking water meets health standards, if they were ever to be put into service to supply the distribution system. During the period of 7/1/2023-9/30/2023, Pace Analytical neglected to send the Village a sample bottle for cyanide at one of its backup wells and therefore the Village could not accurately report the quality of the well water from this backup source during this time period. Once again, Elk Grove Village's primary source of drinking water is from Lake Michigan and the backup wells are not the Village's primary source of drinking water.

What should I do? There is nothing you need to do at this time.

The contaminant that Elk Grove Village failed to test for in one of its backup wells, was cyanide. The Village has never had an issue with cyanide levels during any of its well samplings. Once again, failing to take the sample does not mean the cyanide levels in the well water exceeded regulatory standards. The failure to test was simply an oversight. Elk Grove Village has never exceeded the allowable maximum contaminant level (MCL). However, the Village is still required by the EPA to test for cyanide, at this particular backup well, on a quarterly basis. On October 1, 2023, Elk Grove Village tested the backup well in question for cyanide and the results came back under the MCL, as it has in the past. Since Elk Grove Village's primary drinking water source is from Lake Michigan and this well is a backup supply, there are no adverse health effects since this well has not been activated or placed into service, in the distribution system, since the 1980's.

For more information, please contact John Naguin at (847) 734 – 8047 or at inaguin@elkgrove.org

Please share this information with all the other people who drink this water, especially those who may not have received this notice directly (for example, people in apartments, nursing homes, schools, and businesses). You can do this by posting this notice in a public place or distributing copies by hand or mail.

Date distributed: May 28, 2024

This notice is sent to you by the Village of Elk Grove Village

Water System ID# 0314400

Ever wonder why there are bubbles in your water?

Fill a glass with tap water and sometimes it looks cloudy or "milky." Wait a few seconds and the water starts to clear. It usually happens more during the cold weather months. It is a function of water temperature, water pressure and the solubility of air in the water.

The water is safe and meets the required testing standards. The United States Geological Survey has additional information on this phenomena on their website. To find more information about this and much more visit the USGS at http://water.usgs.gov/edu/ga-chemical-cloudy.html